

C1 Esterase Inhibitor

Order Name: **C1 ES QNT**

Test Number: 5569700

Revision Date: 12/12/2022

| TEST NAME | METHODOLOGY | LOINC CODE |
|-----------------------|---------------------------|------------|
| C1 Esterase Inhibitor | Immunologic, quantitative | 4477-6 |

| SPECIMEN REQUIREMENTS | | | | |
|-----------------------|--|---------------|--------------------|-----------------------|
| Specimen | Specimen Volume (min) | Specimen Type | Specimen Container | Transport Environment |
| Preferred | 1 mL (0.5 mL) | Serum | Clot Activator SST | Room Temperature |
| Instructions | Notes: 0.5 mL (Note: This volume Does NOT allow for repeat testing.) Specimen Type: Red-top tube or gel-barrier tube Specimen Storage: Maintain specimen at room temperature. Specimen Collection: Separate serum from cells within 30 to 60 minutes after collection. Transfer specimen to a plastic transport tube. Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days | | | |

| GENERAL INFORMATION | |
|------------------------------|--|
| Expected TAT | 3 - 4 days shift. |
| Clinical Use | Aids in diagnosis of hereditary angioedema and monitoring response to therapy. |
| Performing Labcorp Test Code | 004648 |
| Notes | Labcorp Test Code: 004648 |
| CPT Code(s) | 86160 |
| Lab Section | Reference Lab |