

Selenium, Serum/Plasma

Order Name: **SELENIUM**
Test Number: 3610600
Revision Date: 02/07/2023

| TEST NAME | METHODOLOGY | LOINC CODE |
|------------------------|--|------------|
| Selenium, Serum/Plasma | Inductively-Coupled Plasma/Mass Spectrometry | |

SPECIMEN REQUIREMENTS

| Specimen | Specimen Volume (mL) | Specimen Type | Specimen Container | Transport Environment |
|-------------|----------------------|---------------|--|-----------------------|
| Preferred | 2 mL (0.6 mL) | Serum | Royal Blue - No Additive Clot (Trace Element Free) | Room Temperature |
| Alternate 1 | 2 mL (0.6 mL) | Plasma | Royal Blue - EDTA (Trace Element Free) | Room Temperature |

Instructions

Specimen: Serum or Plasma

Notes: 0.6 mL (Note: This volume Does NOT allow for repeat testing).

Specimen Type: Royal blue-top Clot Tube OR Royal Blue-top (EDTA) tube

Specimen Storage: Maintain specimen at room temperature.

Specimen Collection: Separate serum or plasma immediately after the collection, and transfer to a certified metal-free transport tube (PeopleSoft No. 111166) for shipment to the laboratory.

Specimen Stability: Ambient: 14 days, Refrigerated : 14 days, Frozen: 14 days

GENERAL INFORMATION

| | |
|------------------------------|-----------------------------|
| Expected TAT | 2 - 4 days one working day. |
| Performing Labcorp Test Code | 716910 |
| Notes | Labcorp Test Code: 716910 |
| CPT Code(s) | 84255 |
| Lab Section | Reference Lab |