Plasminogen Activator Inhibitor-1 (PAI-1) Genotype

Order Name: PLAS ACT G
Test Number: 1517000
Revision Date: 12/12/2022

TEST NAME		N	IETHODOLOGY	LOINC CODE
Plasminogen Activator Inhibitor-1 (PAI-1) Genotype			Polymerase Chain Reaction	
SPECIMEN REQU	JIREMENTS			
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL	EDTA Whole Blood	EDTA (Lavender Top)	Room Temperature
Instructions	Specimen Type: Lavender-top (EDTA) tube or yellow-top (ACD) tube Specimen Storage: Maintain specimen at room temperature. Stability: Room temperature up to 8 days Refrigerated up to 8 days			

Special Instructions: Testing performed at Esoterix Coagulation Lab UY#129100

GENERAL INFORMATION			
Expected TAT	5-7 Days		
Clinical Use	The 4G allele within in the promoter region of the PAI-1 (SERPINE1) gene is associated with higher plasma PAI-1 activity when compared with the 5G allele. Heterozygosity or homozygosity for the 4G allele confers a risk for venous thromboembolism (VTE), especially in individuals with other thrombophilic risk factors, as well as a risk for myocardial infarction. Variant Tested: The PAI-1 promoter 4G/5G polymorphism located in the promoter region of the SERPINE1 gene. NM_000602.3(SERPINE1) c817dupG (from start of translation).		
Performing Labcorp Test Code	500309		
Notes	Labcorp Test Code: 500309		
CPT Code(s)	81400		
Lab Section	Reference Lab		

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025