

Beta-2-Glycoprotein I Antibody (IgA)

Order Name: **BETA 2 IGA**

Test Number: 5008157

Revision Date: 12/12/2022

| TEST NAME | METHODOLOGY | LOINC CODE |
|--------------------------------------|---|------------|
| Beta-2-Glycoprotein I Antibody (IgA) | Enzyme-Linked Immunosorbent Assay (ELISA) | |

| SPECIMEN REQUIREMENTS | | | | |
|-----------------------|---|---------------|------------------------------------|-----------------------|
| Specimen | Specimen Volume (min) | Specimen Type | Specimen Container | Transport Environment |
| Preferred | 1 mL (0.5 mL) | Serum | Clot Activator (SST or Red No-Gel) | Room Temperature |
| Instructions | <p>Specimen Type: Red-top tube or gel-barrier tube</p> <p>Specimen Storage: Room temperature</p> <p>Specimen Stability: Ambient: 7 days, Refrigerated : 7 days, Frozen: 7 days</p> | | | |

| GENERAL INFORMATION | |
|------------------------------|---|
| Expected TAT | 2 - 3 days |
| Clinical Use | Beta-2-Glycoprotein 1, apolipoprotein H, is a cofactor in antiphospholipid antibody binding and is the critical antigen in the antiphospholipid antibody syndrome. Beta-2-Glycoprotein 1 Antibody is more specific than cardiolipin antibody that may express reactivity in patients with syphilis and other infectious diseases. |
| Performing Labcorp Test Code | 163900 |
| Notes | Labcorp Test Code: 163900 |
| CPT Code(s) | 86146 |
| Lab Section | Reference Lab |