

Oxalate, Serum/Plasma

Order Name: **OXALATE PL**
Test Number: 3654275
Revision Date: 09/17/2024

TEST NAME	METHODOLOGY	LOINC CODE
Oxalate, Serum/Plasma	Enzymatic Assay (EZA)	2699-7

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL (1.7 mL)	Serum	Clot Activator (Red Top, No-Gel)	Frozen
Alternate 1	2 mL (1.7 mL)	Plasma	Lithium Heparin (Dark Green Top / No-Gel)	Frozen

Instructions
Specimen: 2 mL(0.7) of Serum or plasma from Red-Top Tube or Green-Top (Heparin) Tube.
Specimen Storage: **FREEZE**
Collection: **Promptly centrifuge with refrigeration and separate serum or plasma into Plastic sterile transport tube.**
Stability: Ambient n/a, Refrigerated 14 days, Frozen 30 days
Cause for Rejection: Received Room Temperature. Gray top tube (Sodium Fluoride/ Potassium Oxalate). Polymer gelseparation tube (SST or PST).

GENERAL INFORMATION

Expected TAT	6 - 10 days
Performing Labcorp Test Code	833603
CPT Code(s)	83945
Lab Section	Reference Lab