Factor 13 (XIII) Functional Assay

Order Name: FACTOR 13
Test Number: 1501425
Revision Date: 12/12/2022

TEST NAME		MI	ETHODOLOGY	LOINC CODE
Factor 13 (XIII) Functional Assay		С	hromogenic	27815-0
SPECIMEN REQUI	IREMENTS			
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 tubes 1 mL each	Platelet Poor Plasma	Sodium Citrate 3.2% (Blue Top)	Frozen
Instructions	blue-top tube containing 3.2% anticoagulant ratio.[2,3] The sa coagulant with the blood. A dis (i.e. 'butterfly'), in which case a (red-top) tubes prior to citrate (tubes and serum tubes with cleplasma using a plastic transfer Use a second plastic pipette to transpak frozen purple tube witurnaround time when requestionand use the Volume Guide for Special Instructions: Testing	TED PLASMA SAMPLES SHOULD buffered sodium citrate.[1] Evacuate ample should be mixed immediately card tube is not required prior to condiscard tube should be used.[4,5] blue-top) tubes. Any tube containing the initiators should also be collected pipette, being careful not to disturb the remove plasma, staying clear of the theorem cap (LabCorp 49482). FRing multiple tests on frozen samples Coagulation Testing to ensure properformed at Esoterix Coagulation		on to ensure a proper blood to re adequate mixing of the anti- using a winged blood collection device tests, collect sterile and nonadditive ted after the blue- top tube. Gel-barrier utes and carefully remove 2/3 of the cap, and recentifuge for 10 minutes. If the plasma into a LabCorp PP cill tested. To avoid delays in or each test requested. Please print

GENERAL INFORMATION		
Expected TAT	3 - 5 days	
Performing Labcorp Test Code	500185	
Notes	Labcorp Test Code: 500185	
CPT Code(s)	85290	
Lab Section	Reference Lab	

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025