

## Human Anti-Mouse Antibody (HAMA), ELISA

Order Name: **HAMA**  
Test Number: 6905043  
Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
Human Anti-Mouse Antibody (HAMA), ELISA	Quantitative Enzyme-Linked Immunosorbent Assay	14975-7

### SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.2)	Serum	Clot Activator SST	Refrigerated
Alternate 1	1 mL (0.2)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
<b>Instructions</b>	<p><b>Notes:</b> 0.2 mL (Note: This volume Does NOT allow for repeat testing.)</p> <p><b>Specimen Type:</b> Red-top tube or gel-barrier tube</p> <p><b>Specimen Storage:</b> Refrigerated</p> <p><b>Specimen Collection:</b> If a red-top tube is used, transfer separated serum to a plastic transport tube.</p> <p><b>Specimen Stability:</b> Ambient: Not Available, Refrigerated : Not Available, Frozen: Not Available</p>			

### GENERAL INFORMATION

Expected TAT	6 - 10 days
Performing Labcorp Test Code	140657
<b>Notes</b>	<p><b>Methodology</b></p> <p>Enzyme-linked immunosorbent assay (ELISA). The ImmuSTRIP® HAMA ELISA Test System employs a control mouse polyclonal antibody as the capture antibody and a mouse anti-isotypic monoclonal IgG1 to detect HAMA.16,17 The test has been calibrated with baboon anti-mouse IgG serum. Final patient values are reported as nanograms of precipitable antibody present in the sample per mL.</p> <p>Labcorp Test Code: 140657</p>
CPT Code(s)	83520
Lab Section	Reference Lab