

Human Platelet Antigen 1 Genotype

Order Name: **HPA-1 Geno**

Test Number: 6905923

Revision Date: 12/12/2022

| TEST NAME | METHODOLOGY | LOINC CODE |
|-----------------------------------|---------------------------------|------------|
| Human Platelet Antigen 1 Genotype | DNA-Based Capture Binding Assay | 50599-0 |

| SPECIMEN REQUIREMENTS | | | | |
|-----------------------|--|---------------|---------------------|-----------------------|
| Specimen | Specimen Volume (min) | Specimen Type | Specimen Container | Transport Environment |
| Preferred | 5 mL | Whole Blood | EDTA (Lavender Top) | Room Temperature |
| Instructions | Specimen Type: Blue-top (sodium citrate) tube, lavender-top (EDTA) tube or yellow-top (ACD) tube Specimen Storage: Maintain specimen at room temperature. Stability: Room temperature up to 8 days Refrigerated up to 8 days Special Instructions: Testing is performed at Esoterix Coagulation Laboratory: UY#300531 | | | |

| GENERAL INFORMATION | |
|------------------------------|---------------------------|
| Expected TAT | 4-7 days |
| Performing Labcorp Test Code | 500314 |
| Notes | Labcorp Test Code: 500314 |
| CPT Code(s) | 81105 |
| Lab Section | Reference Lab |