

Stratify JCV Antibody with Index and Reflex to Inhibition Assay

Order Name: **JCV Ab/Index**

Test Number: 6006452

Revision Date: 02/21/2023

TEST NAME	METHODOLOGY	LOINC CODE
Stratify JCV Antibody with Index and Reflex to Inhibition Assay	Immunoassay (IA)	

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	1 mL (0.5 mL)	Serum	Clot Activator SST	Room Temperature
Alternate 1	1 mL (0.5 mL)	Plasma	EDTA (Lavender Top)	Room Temperature
Instructions	<p>Specimen Type: Gel-barrier tube, lavender-top (EDTA) or red-top tube</p> <p>Specimen Storage: Room Temperature</p> <p>Specimen Collection: Serum or plasma should be separated from cells within 45 minutes of venipuncture. Send serum or plasma in a plastic transport tube.</p> <p>Special Instructions: Testing referred to Quest Diagnostics Nichols NI#91665</p> <p>Specimen Stability: Ambient: 7 days, Refrigerated : 14 days, Frozen: 90 days</p>			

GENERAL INFORMATION	
Expected TAT	Not Available
Clinical Use	The JC Virus (JCV) is associated with progressive multifocal leukoencephalopathy (PML). Detection of antibodies to JCV in serum or plasma is a reliable indicator of exposure to JCV. The analytical performance characteristics were determined for multiple sclerosis patients.
Performing Labcorp Test Code	819372
Notes	Labcorp Test Code: 819372
Lab Section	Reference Lab