

Free Kappa/Lambda Lt Chains, Quant, Urine

Order Name: **FLC K/L QN UR**
 Test Number: 5194310
 Revision Date: 11/20/2023

TEST NAME	METHODOLOGY	LOINC CODE
Free Kappa/Lambda Lt Chains, Quant, Urine	Turbidometric	

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	1.5 mL (1 mL)	Urine, Random	Sterile Screwtop Container	Room Temperature
Alternate 1	1.5 mL (1 mL)	Urine, 24-hour	Sterile Screwtop Container	Room Temperature

Instructions

Specimen Type: Urine (random or 24-hour) in a Plastic urine container

Specimen Collection: Ship the specimen as soon as possible.

Special Instructions: Values obtained with different assay methods should not be used interchangeably in serial testing. It is recommended that only one assay method be used consistently to monitor each patient's course of therapy. This procedure does not provide serial monitoring; it is intended for one-time use only. If serial monitoring is required, please use the serial monitoring number 121243 to order.

Specimen Stability: Stability: Room temperature: 14 days, Refrigerated: 14 days, Frozen: 14 days (Freeze/thaw cycle: Stable x2)

GENERAL INFORMATION

Expected TAT	2 - 4 days
Performing Labcorp Test Code	121228
CPT Code(s)	83521x2
Lab Section	Reference Lab