

NuSwab VG Plus+Mycopl+Genital

Order Name: **NS VG+Myco Gen**
 Test Number: 5195364
 Revision Date: 11/08/2023

TEST NAME	METHODOLOGY	LOINC CODE
NuSwab VG Plus+Mycopl+Genital	Nucleic acid amplification (NAA)	

SPECIMEN REQUIREMENTS

Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	One Vaginal Swab, One Bacterial Swab	See Instructions	See Instructions	Room Temperature

Instructions

Collect TWO Specimens for this test:
 Aptima Vaginal Swab (Orange Label) and Bacterial Culture Transport (Swab w/Media) inoculated Jembec

1) Aptima Specimen: Vaginal Swab, Swab of vagina, cervix, discharge, aspirated endocervical, endometrial, prostatic fluid, or urethral discharge. Use swab to inoculate Jembec for transport to the laboratory and recovery of Neisseria gonorrhoeae; swab should also be sent in transport device at **Room Temperature. Do not refrigerate.**

2) Bacterial Culture Specimen Collection: Female: Do not use lubricant on speculum. Cervical mucus should be removed first before inserting swab into endocervical canal, move swab from side to side allowing several seconds for absorption of organisms by the swab. Return swab to the transport tube and label. Male: Using small wire swab, gently scrape the anterior urethral mucosa or, use a swab to collect specimen of urethral discharge. Maintain specimen swab and Jembec at **Room Temperature. Do not refrigerate.**

Cause for Rejection: Inappropriate specimen transport device; unlabeled specimen or name discrepancy between specimen and request label; specimen received after prolonged delay (usually more than 72 hours); specimen received in expired transport.

Special Instructions: Specify specimen source and pertinent clinical information on the request form. Specimens from other sources, such as genital, stool, urine, upper and lower respiratory specimens, cannot be cultured under the aerobic bacterial culture test number. If specimens are incorrectly submitted with an order for aerobic bacterial culture, the laboratory will process the specimen for the test based on the source listed on the request form. The client will not be telephoned to approve this change, but the change will be indicated on the report. Check expiration date of transport; do NOT use expired devices.

Labcorp Oklahoma, Inc.
Test Directory

GENERAL INFORMATION

Expected TAT	3-4 days																																							
Performing Labcorp Test Code	385897																																							
Notes	<table border="1"> <thead> <tr> <th>RESULT CODE</th> <th>RESULT NAME</th> <th>LOINC</th> </tr> </thead> <tbody> <tr> <td>5195307</td> <td>Atopobium vaginae</td> <td>69565-0</td> </tr> <tr> <td>5195308</td> <td>BVAB 2</td> <td>69566-8</td> </tr> <tr> <td>5195309</td> <td>Megasphaera 1</td> <td>69567-6</td> </tr> <tr> <td>5195303</td> <td>Candida albicans, NAA</td> <td>69562-7</td> </tr> <tr> <td>6987011</td> <td>Candida glabrata, NAA</td> <td>69563-5</td> </tr> <tr> <td>6910157</td> <td>Trich vag by NAA</td> <td>62461-9</td> </tr> <tr> <td>6910149</td> <td>Chlamydia trachomatis, NAA</td> <td>45084-1</td> </tr> <tr> <td>6910153</td> <td>Neisseria gonorrhoeae, NAA</td> <td>32705-6</td> </tr> <tr> <td>6907527</td> <td>Mycoplasma genitalium NAA</td> <td>69935-5</td> </tr> <tr> <td>5195365</td> <td>Mycoplasma hominis NAA</td> <td>68546-1</td> </tr> <tr> <td>5195366</td> <td>Ureaplasma spp NAA</td> <td>68547-9</td> </tr> <tr> <td>5195378</td> <td>Genital Culture, Routine</td> <td>10352-3</td> </tr> </tbody> </table>	RESULT CODE	RESULT NAME	LOINC	5195307	Atopobium vaginae	69565-0	5195308	BVAB 2	69566-8	5195309	Megasphaera 1	69567-6	5195303	Candida albicans, NAA	69562-7	6987011	Candida glabrata, NAA	69563-5	6910157	Trich vag by NAA	62461-9	6910149	Chlamydia trachomatis, NAA	45084-1	6910153	Neisseria gonorrhoeae, NAA	32705-6	6907527	Mycoplasma genitalium NAA	69935-5	5195365	Mycoplasma hominis NAA	68546-1	5195366	Ureaplasma spp NAA	68547-9	5195378	Genital Culture, Routine	10352-3
RESULT CODE	RESULT NAME	LOINC																																						
5195307	Atopobium vaginae	69565-0																																						
5195308	BVAB 2	69566-8																																						
5195309	Megasphaera 1	69567-6																																						
5195303	Candida albicans, NAA	69562-7																																						
6987011	Candida glabrata, NAA	69563-5																																						
6910157	Trich vag by NAA	62461-9																																						
6910149	Chlamydia trachomatis, NAA	45084-1																																						
6910153	Neisseria gonorrhoeae, NAA	32705-6																																						
6907527	Mycoplasma genitalium NAA	69935-5																																						
5195365	Mycoplasma hominis NAA	68546-1																																						
5195366	Ureaplasma spp NAA	68547-9																																						
5195378	Genital Culture, Routine	10352-3																																						
CPT Code(s)	87798 005 87563, 87491, 87070, 87801, 87591, 87661																																							
Lab Section	Reference Lab																																							