

HTLV I/II Antibody, Reflexed to Confirmation

Order Name: HTLV-I/II

Test Number: 3535875

Revision Date: 12/12/2022

TEST NAME	METHODOLOGY	LOINC CODE
HTLV I/II Antibody Screen	Enzyme Immunoassay	29901-6

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	2mL (1.5 mL)	Serum	Clot Activator (SST or Red No-Gel)	Refrigerated
Alternate 1	2mL (1.5 mL)	Plasma	EDTA (Lavender Top)	Refrigerated
Instructions	<p>Specimen Type: Red-top tube, gel-barrier tube, or lavender-top (EDTA) tube</p> <p>Specimen Storage: Refrigerated.</p> <p>Specimen Collection: Centrifuge sample to separate serum or plasma. For non-gel-barrier tubes, transfer serum or plasma to a transport tube.</p> <p>Specimen Stability: Ambient: Not Available, Refrigerated for 14 days or Frozen six months.</p>			

GENERAL INFORMATION	
Expected TAT	2-4 Days
Performing Labcorp Test Code	164277
Notes	Labcorp Test Code: 164277
CPT Code(s)	86790
Lab Section	Reference Lab