

Antimony Random Urine

Order Name: **ANTIM RU**

Test Number: 3600775

Revision Date: 12/18/2024

TEST NAME	METHODOLOGY	LOINC CODE
Creatinine Screen	Immunoassay (IA)	2161-8
Antimony Urine	Inductively-Coupled Plasma/Mass Spectrometry	5581-4
Antimony/Creatinine	Calculation	13823-0

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (mL)	Specimen Type	Specimen Container	Transport Environment
Preferred	3 mL (1.1 mL)	Urine, Random	Acid Washed, Trace Element Free Contatiner	Refrigerated
Instructions	Specimen: 3mL(1.1mL) Random Urine in acid washed trace emelent free container Stability Requirements: Room temperature 5 Days, Refrigerated 30 Days, Frozen 30 Days Cause for Rejection: Received Room Temperature. Testing referred to National Medical Services NMSPA#0410U			

GENERAL INFORMATION				
Expected TAT	7 Days (12 Days if positive) from set up			
Performing Labcorp Test Code	833930			
Notes				
	ORDER CODE	REFLEX NAME	RESULT CODE	RESULT NAME
	4000073	.Rflex Specific Gravity	4000073	Specific Gravity Screen
			1001500	Specific Gravity Urine
CPT Code(s)	82570, 83018			
Lab Section	Reference Lab			