Labcorp Oklahoma, Inc. Test Directory

Propafenone Level

Order Name: **PROPAFENON**

Test Number: 3657050 Revision Date: 12/12/2022

		METHODOLOGY	LOINC CODE
Propafenone Level		Liquid Chromatography/Tandem Mass Spectron	netry 6905-4
EMENTS			
Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
1.0mL (0.5mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
1.0mL (0.5mL)	Plasma	Sodium Heparin (Green Top, No- Gel)	Refrigerated
Specimen Collection: Serum transport tube. Special Instructions: Testing	or plasma should be separa	ated from cells within two hours of venipuncture ies Inc TC 353	, .
	Specimen Volume (min) 1.0mL (0.5mL) 1.0mL (0.5mL) Specimen Type: Red-top tube Specimen Collection: Serum transport tube. Special Instructions: Testing	Specimen Volume (min) Specimen Type 1.0mL (0.5mL) Serum 1.0mL (0.5mL) Plasma Specimen Type: Red-top tube or green-top (heparin) tube. Specimen Collection: Serum or plasma should be separatransport tube. Special Instructions: Testing referred to MedTox Laborator	EMENTS Specimen Volume (min) Specimen Type Specimen Container 1.0mL (0.5mL) Serum Clot Activator (Red Top, No-Gel) 1.0mL (0.5mL) Plasma Sodium Heparin (Green Top, No-Gel) Specimen Type: Red-top tube or green-top (heparin) tube. Gel-barrier tubes are NOT recommeded. Specimen Collection: Serum or plasma should be separated from cells within two hours of venipuncture

GENERAL INFORMATION		
Expected TAT	7 - 14 days	
Performing Labcorp Test Code	270088	
Notes	Labcorp Test Code: 270088	
CPT Code(s)	80299	
Lab Section	Reference Lab	

refrigerated or frozen. Specimen is stable for three days at room temperature, for seven days refrigerated, and for six months frozen.

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025