Labcorp Oklahoma, Inc. Test Directory

NuSwab VG, HSV

Order Name: NS VG, HSV
Test Number: 5195326
Revision Date: 09/10/2023

TEST NAME			METHODOLOGY	LOINC CODE	
NuSwab VG, HSV		Nucleic acid amplification (NAA)			
SPECIMEN REQUIR	REMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment	
Preferred	1	Swab	APTIMA Multitest Swab -or- Unisex Swab Kit	Room Temperature	
Instructions	Container: Aptima® Multitest Swab Specimen Collection Kit or Aptima® Unisex Swab Specimen Collection Kit Collection: Vaginal swab: Collect vaginal fluid sample using the Aptima® swab by contacting the swab to the lower third of the vaginal wall and rotating the swab for 10 to 30 seconds to absorb fluid. Immediately place the swab into the transport tube and carefully break the swab shaft against the side of the tube. Tightly screw on the cap. Causes for Rejection: Specimen with incorrect patient identification; unlabeled specimen; inappropriate specimen transport conditions, including specimens received frozen; specimens received after prolonged delay (usually >72 hours); specimen leaked in transit; specimen in expired transport or incorrect transport device; specimens with inappropriate source for test requested; specimen with fixative or additives; Aptima® urine transport; Aptima® swab transport >30 days from collection; Aptima® swab specimen without a swab; cleaning swab (white-shaft swab) in Aptima® swab transport; any non-Aptima® swab submitted in Aptima® transport device; transport device with multiple swabs; bloody or grossly mucoid specimens; bacterial swabs; specimen in ProbeTec TM UPT transport; ProbeTec TM Q-swabs				

Storage Instructions: Maintain specimen at room temperature or refrigerate (2°C to 30°C). **Stability Requirements:** Room temperature 30 days, Refrigerated 30 days, Frozen Not acceptable.

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025

Labcorp Oklahoma, Inc. Test Directory

GENERAL INFORMATION						
Expected TAT	3-4 days					
Performing Labcorp Test Code	180071					
Notes	RESULT CODE	RESULT NAME	LOINC			
	5195307	Atopobium vaginae	69565-0			
	5195308	BVAB 2	69566-8			
	5195309	Megasphaera 1	69567-6			
	5195303	Candida albicans, NAA	69562-7			
	6987011	Candida glabrata, NAA	69563-5			
	6910157	Trich vag by NAA	62461-9			
	6987013	HSV 1 NAA	16130-7			
	6987014	HSV 2 NAA	16131-5			
CPT Code(s)	87801, 87661, 87798x3, 87529x2					

Lab Section

Reference Lab