Mitotane (Lysodren) Level

Order Name: MITOTANE
Test Number: 4502125
Revision Date: 12/12/2022

TEST NAME METHODOLOGY LOINC CODE

Mitotane (Lysodren) Level

Gas chromatography/flame ionization detection (GC/FID)

SPECIMEN REQUIREMENTS				
Specimen	Specimen Volume (min)	Specimen Type	Specimen Container	Transport Environment
Preferred	2 mL (0.5 mL)	Serum	Clot Activator (Red Top, No-Gel)	Refrigerated
Alternate 1	2 mL (0.5 mL)	Plasma	Lithium Heparin (Dark Green Top / No-Gel)	Refrigerated
Instructions	Specimen Type: Red-top tube OR green-top (heparin) tube. Gel-barrier tubes are NOT acceptable. Specimen Storage: SUBMISSION/TRANSPORT (<3 days): Room Temperature. For storage beyond three days, specimen should be refrigerated or frozen. Specimen Collection: Serum or plasma should be separated from cells within two hours of venipuncture. Submit serum or plasma in a plastic transport tube. Special Instructions: Testing referred to MedTox Laboratories Inc TC 401			

GENERAL INFORMATION		
Expected TAT	7 - 10 days	
Performing Labcorp Test Code	808159	
Notes	Labcorp Test Code: 808159	
CPT Code(s)	80299	
Lab Section	Reference Lab	

Service provided by Labcorp Oklahoma, Inc. All Rights Reserved. © 2003 - 2025